

ANALYZED BY:
Anresco Laboratories

CUSTOMER:
NevadaWholesale Distribution DBA Urban Ice

TM



SAMPLE INFORMATION

Sample No.:	1320745	Date Received:	07/10/2025
Product Name:	Urban Ice Botanicals - (1) CBD Tincture 500mg - Hemp Oil Black	Date Reported:	07/18/2025
Matrix:	Bottle - Unopened / Safety Seal Intact		
Lot #:	Edible (Tincture)		
PO #:	Lot #200117/2 MFG: 01/2020		
	CBD Tincture 500mg - Hemp Oil		

TEST SUMMARY

Cannabinoid Profile:	Pass	Alkaloids:	Tested
Microbiological Screen:	Tested		

Cannabinoid Profile

Pass

07/14/2025

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection: 0.067 mg/g
Limit of Quantitation: 0.2 mg/g

Cannabinoid	mg/g	%	mg/ml	mg/package	Labeled mg/package	% Difference	Status
Δ8-THC	ND	ND	ND	ND ND ND	- - -	-----	-
Δ9-THC	ND	ND	ND	ND ND	- -	64.05	Pass
Δ9-THCA	ND	ND	ND	179.73 ND	500	-----	-
THCV	ND	ND	ND	6.94 ND	- - -	-----	-
THCVA	ND	ND	ND	ND ND ND	- - -	-----	-
CBD	6.34	0.634	5.99	<LOQ ND	- - -	-----	-
CBDA	ND	ND	ND	179.73	- - -	-----	-
CBC	0.24	0.024	0.23	186.68	-	-----	-
CBCA	ND	ND	ND	186.68	-	-----	-
CBDV	ND	ND	ND				
CBG	ND	ND	ND				
CBGA	ND	ND	ND				
CBN	<LOQ	<LOQ	<LOQ				
Total THC	ND	ND	ND				
Total CBD	6.34	0.634	5.99				
Total Cannabinoids	6.58	0.658	6.22				
Sum of Cannabinoids	6.58	0.658	6.22				
Package Weight (g)	28.3710						
g/ml Conversion Factor	0.9457						

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
 Total CBD = CBD + (0.877 * CBDA)
 Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Comments: Insufficient sample amount for retesting.

URBAN ICE BOTANICALS

TM

URBAN ICE BOTANICALS

07/17/2025

Alkaloids

Method: MF 12D030
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Quantitation Alkaloid Profile (LC-DAD): 0.1
Limit of Detection: 0.04
Limit of Quantitation: 0.1

Analyte	mg/g	%	mg/ml
7-OHMitragynine	ND	ND	ND
Mitragynine Pseudoindoxyl	ND	ND	ND
Mitragynine	ND	ND	ND
Paynantheine	ND	ND	ND
Speciogynine	ND	ND	ND
Speciociliatine	ND	ND	ND
Total Alkaloids	ND	ND	ND
g/ml Conversion Factor	0.945		

Comments: This result of this sample is confirmed with a retest.

Microbiological Screen

07/18/2025

Method: FDA BAM
Analyte:

Analyte	Findings	Units
Coliforms	<10 <10	cfu
E. coli	Negative/25g	/g
Salmonella	<100 <10 <10	cfu
Standard Plate Count		/g
Yeast		cfu
Mold		/g
		cfu
		/g
		cfu
		/g

ND = None Detected
 LOD = Limit of Detection
 LOQ = Limit of Quantitation

Reported by


 Vu Lam
 Lab Co Director



Scan to verify