Certificate of Analysis

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124

CUSTOMER:

Nevada Wholesale Distribution DBA Urban Ice
2785 North Lamb Blvd
Las Vegas, NV 89115



SAMPLE INFORMATION

Sample No.: 1442686
Product Name: URBAN ICE BOTANICALS - CBD INFUSED KRATOM POWDER
Matrix: POWDER
Lot #: LOT #131119 MFG 11/19
Sample Condition: Ambient

Date Collected: 09/14/2026
Date Received: 09/16/2026
Date Reported: 09/25/2026

TEST SUMMARY

Cannabinoid Profile: Pass
Heavy Metal Screen: Pass
Overall: Pass

Alkaloids: Tested
Micro Screen - Urban Ice: Pass

Cannabinoid Profile Pass

09/25/2026

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.067 mg/g
Limit of Quantitation 0.2 mg/g

Cannabinoid	mg/g	%	mg/serving	mg/package	Labeled mg/serving	% Difference	Status
Δ8-THC	ND	ND	ND	ND	-	-	-
Δ9-THC	ND	ND	ND	ND	-	-	Pass
Δ9-THCA	ND	ND	ND	ND	-	-	-
THCV	ND	ND	ND	ND	-	-	-
THCVA	ND	ND	ND	ND	-	-	-
CBD	2.59	0.259	5.19	155.60	8.33	37.74	-
CBDA	ND	ND	ND	ND	-	-	-
CBC	ND	ND	ND	ND	-	-	-
CBCA	ND	ND	ND	ND	-	-	-
CBDV	ND	ND	ND	ND	-	-	-
CBG	ND	ND	ND	ND	-	-	-
CBGA	ND	ND	ND	ND	-	-	-
CBN	ND	ND	ND	ND	-	-	-
Total THC	ND	ND	ND	ND	-	-	-
Total CBD	2.59	0.259	5.19	155.60	-	-	-
Total Cannabinoids	2.59	0.259	5.19	155.60	-	-	-
Sum of Cannabinoids	2.59	0.259	5.19	155.60	-	-	-
Serving Weight (g)	2						
Package Weight (g)	60.0						

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Comment(s): This result of this sample is confirmed with a retest.

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

Alkaloids

09/22/2026

Method: MF 12D030

Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)

Analyte	mg/g	%
7-OH Mitragynine	ND	ND
MGM-15	ND	ND
Mitragynine Pseudoindoxyl	ND	ND
Mitragynine	10.11	1.011
Paynantheine	1.76	0.176
Speciogynine	1.28	0.128
Speciociliatine	3.77	0.377
Total Alkaloids	16.93	1.693

Heavy Metal Screen ✔ Pass

09/22/2026

Method: AOAC 2015.01

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Max Daily Intake (g): 2

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Intake (µg/day)	Limit (µg/day)	Status
Arsenic	0.02/0.05	0.23	0.46	10	Pass
Cadmium	0.02/0.05	ND	ND	4.1	Pass
Lead	0.02/0.05	0.37	0.74	6	Pass
Mercury	0.02/0.05	<LOQ	ND	2	Pass

*The AHPA recommended daily limits are specified for inorganic arsenic and methyl mercury, but our heavy metals screen tests for total arsenic (inorganic + organic arsenic) and total mercury. As such, an arsenic or mercury result below the recommended daily limit will inherently pass, while an arsenic or mercury result above the recommended daily limit may require additional testing.

Micro Screen - Urban Ice

09/22/2026

Analyte	Method	Findings
Coliforms	FDA BAM - ECC Agar	200 cfu/g
E. Coli	FDA BAM - ECC Agar	<10 cfu/g
Mold	FDA BAM	8,000 cfu/g
Salmonella	AOAC 2013.01	Not Detected/25g
Standard Plate Count	FDA BAM	91,000 cfu/g
Yeast	FDA BAM	<10 cfu/g

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by

Vu Lam
Lab Co Director
September 25, 2026

Scan to verify

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.